

# **DIRECTA**

## **ESSENTIALS FOR INDUSTRY**

Tel: 01621 828882     [www.directa.co.uk](http://www.directa.co.uk)

DIRECTA (UK) LTD

### TECHNICAL DATA SHEET:

PRODUCT: Our Reference ZGERROFF 500ml spray polybottles

### DESCRIPTION:

Three specifically formulated solutions made to erase defacement on most surfaces including spray paints, felt pen ink, chalk, crayon and lipstick.

RED: Brickwork, Concrete, Stonework, Stucco, Ceramics, Metalwork, Stainless, Aluminium, Fibreglass.

BLUE: Plastics, Plastic Laminates, Perspex, Polycarbonate-sheeting, Vinyl mouldings, Vinyl sheeting.

GREEN: Gloss paint, Matt paint, Undercoat, Primer, Varnish, Latex paints.

### APPLICATION:

Spray onto dry affected area. Leave for 1-2 minutes. For RED surface type agitate with wire brush. For BLUE and GREEN surface type rub with cloth or soft brush. In all applications wash off with water. Repeat application if necessary once surface is dry again. ZGERROFF removal action is inert after washing.

### CARE:

Test a small area first to ascertain compatibility.

### EMULSION PAINTS:

Use ZBRICKIE to remove emulsion paints from BRICK, STONE and CONCRETE SURFACES.

### TECHNICAL DETAILS:

Product Appearance:	Liquid
Product Colour:	Typical Solvent
S.G. @ 25 deg. C:	Typically 0.93
Flash Point:	40 deg. C

### CHEMICAL CONSTITUENTS :

Blend of aromatic hydrocarbons, Aliphatic Solvents, Surfactants.

HAZARD IDENTIFICATION: UN No 1993

DANGER SYMBOL: Flammable

HEALTH HAZARD:

Inhalation may cause drowsiness or nausea. Ingestion may cause irritation and discomfort. Prolonged contact with skin may cause defatting leading to irritation and dermatitis. Vapour and splashes may cause irritation.

TOXICITY:

Harmful in contact with skin and if swallowed. INHALATION LTEL. 100ppw is recommended. INGESTION: LD50 (female rat): greater than 8.5g/kg. Approved occupational exposure Standard: 8hr TWA 300 mg m<sup>3</sup>.

FIRE & EXPLOSION HAZARD:

Keep away from source of ignition.

PREVENTATIVE MEASURES:

Use only in well ventilated areas. Avoid inhalation of fumes. Keep container tightly closed when not in use. Do not carry contaminated rags in pockets.

PERSONAL PROTECTIVE EQUIPMENT:

Wear suitable protective clothing and gloves. If the coveralls become contaminated they should be changed.

FIRST AID INHALATION:

Remove to fresh air. If recovery is not immediate call doctor at once.

SKIN CONTACT: Wash well with warm soapy water. Apply a normal skin cream. If irritation persists, consult a doctor.

EYE CONTACT: Irrigate with clean water for at least 15 minutes. If irritation persists, seek medical attention.

INGESTION: Do not induce vomiting. Give water or milk to drink. Seek medical advice and show label or this document.

EMERGENCY ACTION IN CASE OF FIRE:

Use dry powder, carbon dioxide foam, halon, sand or earth. DO NOT use water apart from cooling sealed containers.

SPILLAGE & DECONTAMINATION:

Mop up immediately with an inert absorbant material such as sand and dispose of in accordance with the local regulations.

TRANSPORTATION & STORAGE:

Store in a cool dry place and protect from extremes of temperature. Smoking should be prohibited.

WARRANTY:

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effect of such or, the results to be obtained if not used in accordance with directions or established sales practice. The buyer must assume all responsibility, including injury or damage, resulting from its mis-use as such, or in combination with other materials. Statements concerning the use of these products are not to be construed as recommending the infringement of any patent, and no liability for infringement arising out of any such is assumed.

DS193.TDS

25th June 1999