# 3 RANGE

Available from



- Tapes
- Masks
- Sprays
- Abrasives
- Bumpons
- Office Supplies
- Dual Lock and much more



www.directa.co.uk 01621 828882











# 3M<sup>™</sup>SCOTCH 371 PACKAGING TAPE

- Easy to peel off the roll
- Provides a strong stick and seal
- Polypropylene backing and a hot melt, solvent free synthetic rubber resin adhesive system
- Consistent and reliable performance

| <b>Product Code</b> | Description                           | Sizes      |
|---------------------|---------------------------------------|------------|
| 371BUCK             | 3M™ Scotch 371 Packaging Tape - Clear | 48mm x 66M |
| 371BBUCK            | 3M™ Scotch 371 Packaging Tape - Buff  | 50mm x 66M |
| 371BFCTCK           | 3M™ Scotch 371 Packaging Tape - Buff  | 75mm x 66M |

#### 3M<sup>™</sup>SCOTCH 607 CLEAR STATIONERY TAPE

- One of the most versatile tapes on the market
- Used in a variety of packaging and jointing applications where an invisible seal is required
- Easy unwind
  High tack adhesive

| <b>Product Code</b> | Description                            | Sizes      |
|---------------------|--|------------|
| 02009BSCK           | 3M™ Scotch 607 Stationery Tape - Clear | 50mm x 66M |
| 02009AUCK           | 3M™ Scotch 607 Stationery Tape - Clear | 25mm x 66M |





#### 3M<sup>™</sup>SCOTCH MAGIC MATT TAPE

- Invisible in use
  Can be written on
- Won't ghost on photocopies
- Will not go yellow with age
  Dispenses easily

| <b>Product Code</b> | Description                             | Sizes      |
|---------------------|---|------------|
| 82081APBD           | 3M™ Scotch 810 Magic Tape - Transparent | 19mm x 33M |
| 82081AVCK           | 3M™ Scotch 810 Magic Tape - Transparent | 25mm x 33M |



### 3M<sup>™</sup>101E GENERAL PURPOSE MASKING TAPE



Works at temperatures up to 60°C

 Ideal for joint sealing applications, temporary fixing, attaching or holding and label marking

| <b>Product Code</b> | Description                           | Sizes      |
|---------------------|---------------------------------------|------------|
| 20010AIBU           | 3M™ 101E General Purpose Masking Tape | 12mm x 50M |
| 20010AOBU           | 3M™ 101E General Purpose Masking Tape | 18mm x 50M |
| 20010CQBU           | 3M™ 101E General Purpose Masking Tape | 72mm x 50M |
| 20010DMBU           | 3M™ 101E General Purpose Masking Tape | 96mm x 50M |

#### 3M<sup>™</sup>201E GENERAL PURPOSE MASKING TAPE

- Conformable tape, does not tear when unfolding
- Crepe paper backing
  Works at temperatures up to 80°C
- Ideal for joint sealing applications, temporary fixing, attaching or holding and label marking
- Reduces paint build-up and provides good paint lines

| <b>Product Code</b> | Description                           | Sizes      |
|---------------------|---------------------------------------|------------|
| 20110AJBU           | 3M™ 201E General Purpose Masking Tape | 12mm x 50M |
| 20110AOBU           | 3M™ 201E General Purpose Masking Tape | 19mm x 50M |
| 20110AUBU           | 3M™ 201E General Purpose Masking Tape | 24mm x 50M |
| 20110BGBU           | 3M™ 201E General Purpose Masking Tape | 36mm x 50M |
| 20110BSBU           | 3M™ 201E General Purpose Masking Tape | 48mm x 50M |
| 20110CQBU           | 3M™ 201E General Purpose Masking Tape | 75mm x 50M |
| 20110DMBU           | 3M™ 201E General Purpose Masking Tape | 96mm x 50M |



#### 3M<sup>™</sup>1104 LOW ADHESION MASKING TAPE

- It allows a sharp demarcation
  Good masking in the curves
- Designed for applications where less aggressive adhesion is required
- Used in most masking operations
- Cleanly removed after a cooking time of 45 minutes at 120 °

| <b>Product Code</b> | Description                        | Sizes       |
|---------------------|------------------------------------|-------------|
| 1104AVBU            | 3M™ 1104 Low Adhesion Masking Tape | 25mm x 50M  |
| 1104BUBU            | 3M™ 1104 Low Adhesion Masking Tape | 50mm x 50M  |
| 1104CTBU            | 3M™ 1104 Low Adhesion Masking Tape | 75mm x 50M  |
| 1104DSBU            | 3M™ 1104 Low Adhesion Masking Tape | 100mm x 50M |











#### 3M<sup>™</sup>501E HIGH TEMPERATURE MASKING TAPE

- Crepe paper tape
  Coated with a 150 mm thick rubber adhesive
- Works at temperatures up to 160°C
- · Suitable for: automotive, specialty vehicle, and industrial markets
- Excellent solvent and moisture resistance



| <b>Product Code</b> | Description                            | Sizes      |
|---------------------|--|------------|
| 26100APBU           | 3M™ 501E High Temperature Masking Tape | 19mm x 50M |
| 26100AVBU           | 3M™ 501E High Temperature Masking Tape | 24mm x 50M |
| 26100BIBU           | 3M™ 501E High Temperature Masking Tape | 36mm x 50M |
| 26100BUBU           | 3M™ 501E High Temperature Masking Tape | 48mm x 50M |
| 26100CTBU           | 3M™ 501E High Temperature Masking Tape | 72mm x 50M |

#### 3M<sup>™</sup>8902 POLYESTER MASKING TAPE

- 0.09mm Thick
  Suitable for up to 20°C
- No residue when removed
  Perfect for fine line definition
- Works well with applications requiring high temperatures or adhesion to silicone treated surfaces

| Product Code | Description                     | Sizes      |
|--------------|---------------------------------|------------|
| 8902AVCK     | 3M™ 8902 Polyester Masking Tape | 25mm x 66M |
| 8902BUCK     | 3M™ 8902 Polyester Masking Tape | 50mm x 66M |



#### 3M™ SCOTCH 2090 BLUE PAINTERS MASKING TAPE

- Ideal for paint masking on multiple surfaces including painted walls, trim, woodwork, glass and metal
- Features a crepe backing
- Sticks smoothly and securely, even to curved or uneven surfaces



| Product Code | Description                           | Size       |
|--------------|---------------------------------------|------------|
| 2090BUBU     | 3M™ Scotch 2090 Painters Masking Tape | 50mm x 50M |





#### 3M<sup>™</sup> 9088 HIGH PERFORMANCE DOUBLE COATED TAPE

- 200µm thick tape with a PET carrier, Solventless adhesive technology
- · Resistant to UV light, chemicals and high temperatures
- Highly uniform and homogeneous coating appearance for easy use

| <b>Product Code</b> | Description                               | Sizes      |
|---------------------|---|------------|
| DT272990748         | 3M™ 9088 High Perf. D/Coated Tape - Clear | 9mm x 50M  |
| DT27299075          | 3M™ 9088 High Perf. D/Coated Tape - Clear | 12mm x 50M |
| DT27299077          | 3M™ 9088 High Perf. D/Coated Tape - Clear | 19mm x 50M |
| DT27299078          | 3M™ 9088 High Perf. D/Coated Tape - Clear | 25mm x 50M |
| DT27299079          | 3M™ 9088 High Perf. D/Coated Tape - Clear | 38mm x 50M |
| DT27299080          | 3M™ 9088 High Perf. D/Coated Tape - Clear | 50mm x 50M |



#### 3M<sup>™</sup>9087 DOUBLE COATED ROUGH SURFACE TAPE

- Bond smooth, rough or textured surfaces with high tack, immediate bond, quick stick and high adhesion
- Use for multiple application across many industries
- Maximum operating temperature 85°C

| <b>Product Code</b> | Description                           | Sizes      |
|---------------------|---------------------------------------|------------|
| DT27299100          | 3M™ 9087 D/Coated Rough Tape - White  | 9mm x 50M  |
| DT27299101          | 3M™ 9087 D/Coaled Rough Tape - White  | 12mm x 50M |
| DT27299103          | 3M™ 9087 D/Coated Rough Tape - White  | 19mm x 50M |
| DT27299104          | 3MTW 9087 D/Coated Rough Tape - White | 25mm x 50M |
| DT27299106          | 3M™ 9087 D/Costed Rough Tape - White  | 50mm x 50M |

# 3M<sup>™</sup>9080 DOUBLE COATED TAPE

- Double coated acrylic adhesive on a non-woven tissue carrier
- · Very high level of initial tack
- Good adhesion to a wide variety of surfaces, including LSE materials

| <b>Product Code</b> | Description                 | Sizes      |
|---------------------|-----------------------------|------------|
| 957309AVBU          | 3M™ 9080 Double Coated Tape | 25mm x 66M |
| 957309BUBU          | 3M™ 9080 Double Coated Tape | 50mm x 66M |





#### 3M<sup>™</sup>9528 DOUBLE COATED FOAM TAPE

- Mount posters or display items, plastic nameplates and parts and manufacture sample cards
- Thick PTFE coating gives an exceptionally smooth non-stick, low-friction surface

| <b>Product Code</b> | Description                      | Sizes      |
|---------------------|----------------------------------|------------|
| 9528AICK            | 3M™ 9528 Double Coated Foam Tape | 19mm x 66M |
| 9528AVCK            | 3M™ 9528 Double Coated Foam Tape | 25mm x 66M |







RANGE



#### 3M<sup>™</sup>4950 VHB ACRYLIC FOAM TAPE

- Creates a permanent seal against water, moisture, salt and much more
- General purpose adhesive on both sides of firm type foam 1.1mm thick
- Reliably bonds a variety of materials with strength and speed for permanent applications

| <b>Product Code</b> | Description                    | Sizes      |
|---------------------|--------------------------------|------------|
| 4950AIBD            | 3M™ 4950 VHB Foam Tape - White | 12mm x 33M |
| 4950AVBD            | 3M™ 4950 VHB Foam Tape - White | 25mm x 33M |

### 4611F VHB ACRYLIC FOAM TAPE

- High temperature resistance
  1.1mm thick
- Creates a permanent seal against water, moisture and more
- Pressure sensitive adhesive bonds on contact to provide immediate handling strength which allows the use of thinner, lighter weight and dissimilar materials
- Ideal for bonding panels to a metal frame

| Product Code | Description                                    | Size       |
|--------------|--|------------|
| 4611FAIBD    | 3M™ 4611F VHB Acrylic Foam<br>Tape – Dark Grey | 12mm x 33M |





#### 3M<sup>™</sup>4910 VHB HEAVY DUTY FOAM TAPE

- Pressure sensitive adhesive bonds on contact to provide immediate handling strength ● 1mm thick ● Max operating temp 149°C
- · Virtually invisible fastening keeps surfaces smooth
- Can replace mechanical fasteners (rivets, welding, screws) or liquid adhesives: Eliminate drilling, grinding, refinishing, screwing, welding and clean-up

| <b>Product Code</b> | Description                                  | Size       |
|---------------------|--|------------|
| 4910AVBD            | 3M™ 4910 VHB Heavy Duty Foam<br>Tape – Clear | 25mm x 33M |

#### 3M<sup>™</sup>4943 VHB FOAM TAPE

- Bonds at low temperatures above 0°C 1.1mm thick
- Pressure sensitive adhesive bonds on contact to provide immediate handling strength
- Resistant to solvents, temperature extremes and U.V. light

| <b>Product Code</b> | Description                              | Size       |
|---------------------|--|------------|
| 4943AVBD            | 3M™ 4943 VHB Acrylic Foam Tape<br>– Grey | 25mm x 33M |



# 



#### 3M<sup>™</sup> RP45 VHB ACRYLIC FOAM TAPE

- Fast and easy-to-use permanent bonding method provides high strength and long-term durability • 1.1mm thick
- Pressure sensitive adhesive bonds on contact to provide immediate handling strength
- Virtually invisible fastening keeps surfaces smooth
- Suitable for use in extreme weather conditions

| Product Code   | Description  | Sizes                    |
|----------------|--|--------------------------|
| RP45AIBG       | 3M™ RP45 VHB Acrylic Foam Tape – Grey  | 12mm x 33M               |
| THE POPULATION | 3M™ RP45 VHB Acrylic Foam Tape – Grey<br>3M™ RP45 VHB Acrylic Foam Tape – Grey | 19mm x 33M<br>25mm x 33M |



### 3M<sup>™</sup> VHB SURFACE CLEANER

- Isopropyl Alcohol cleaner for preparing surfaces prior to bonding with 3M™ VHB tapes
- Leaves no residue when cleaning surfaces



#### 3MM SCOTCH-WELD TAPE PRIMER 83

- Increase the adhesion of a tape to critical surfaces substantially to bonding with 3M™ VHB tapes
- Not recommended for polystyrene and highly siliconised materials

| <b>Product Code</b> | Description               | Size    |
|---------------------|---------------------------|---------|
| 85999999            | 3M™ Scotch-Weld Primer 83 | 1 Litre |



#### 3M<sup>™</sup> INDUSTRIAL CLEANER

- · Heavy duty cleaner/degreaser that works effectively on difficult to remove substances
- . Ideal for the removal of unwanted grease, dirt and oil from machinery
- Solvent free and non-corrosive
  Pleasant citrus smell


| <b>Product Code</b> | Description            | Size  |
|---------------------|------------------------|-------|
| 3MCLEAN500          | 3M™ Industrial Cleaner | 500ml |











 Applies adhesive while removing and rewinding liner back into the applicator to eliminate clean-up

· Provides controlled one-step application with the touch of a finger

| <b>Product Code</b> | Description             | Size                         |
|---------------------|-------------------------|------------------------------|
| ATG700APP           | 3M™ ATG Tape Applicator | Holds various<br>tape widths |

#### 3M<sup>™</sup>ATG ADAPTOR KIT

 To be used with the ATG 700 Adhesive Applicator for 6mm x 33M and 6mm x 50M ATG Tape

| Product Code | Description             | Size |
|--------------|-------------------------|------|
| ATG700KIT    | 3M™ ATG 700 Adaptor Kit | 1/4" |



## 3M<sup>™</sup>SCOTCH ATG ADHESIVE TRANSFER TAPE 904

- Quick and mess-free application
- Instant adherence
- Long ageing bond and high shear force
- Perfect for arts and crafts

| <b>Product Code</b> | Description                              | Sizes      |
|---------------------|--|------------|
| ATG904ACAV          | 3M™ Scotch ATG Transfer Tape 904 - Clear | 6mm x 25M  |
| ATG904AIBU          | 3M™ Scotch ATG Transfer Tape 904 - Clear | 12mm x 44M |
| ATG904APBU          | 3M™ Scotch ATG Transfer Tape 904 - Clear | 19mm x 44M |

### 3M<sup>™</sup>SCOTCH ATG ADHESIVE TRANSFER TAPE 969

- Bonds on contact
- Works on a variety of substrate or material combinations
- No mess to clean up
- Cost effective replacement to rivets, staples, screws, bolts, and liquid adhesives

| Product Code | Description                            | Sizes        |
|--------------|--|--------------|
| ATG969ACAM   | 3M™ Scotch ATG Transfer Tape 969 - Tan | 6mm x 16.5M  |
| ATG969AIAM   | 3M™ Scotch ATG Transfer Tape 969 - Tan | 12mm x 16.5M |
| ATG969AIBD   | 3M™ Scotch ATG Transfer Tape 969 - Tan | 12mm x 33M   |
| ATG969APAM   | 3M™ Scotch ATG Transfer Tape 969 - Tan | 19mm x 16.5M |









#### 3M™ DUAL LOCK™ RECLOSABLE FASTENER TWIN PACK

- Clear fastener with mushroom shaped stems backed with a clear, acrylic pressure sensitive adhesive
- · Five times the tensile strength of typical hook-and-loop fasteners
- Opens and closes 1000 times before losing 50% of its original tensile strength
- 5.8mm engaged thickness

| Product Code | Description                       | Size      |
|--------------|-----------------------------------|-----------|
| SJ356D       | 3M™ Dual Lock™ Fastener Twin Pack | 25mm x 5M |



Visit www.directa.co.uk for full Dual Lock™ Range



#### 3M™ DUAL LOCK™ RECLOSABLE LOW PROFILE FASTENER

- Low profile, polyolefin fastener is half the thickness of standard Dual Lock™ reclosable fasteners and is self-mating
- 1.7mm engaged thickness
  Opens and closes 100 times
- Mushroom shaped stems snap in place to ensure fastener is engaged
- Bonds to metals, glass, many plastics and powder coated paints and medium to low surface energy materials

| <b>Product Code</b> | Description                         | Size         |
|---------------------|-------------------------------------|--------------|
| SJ4570              | 3M™ Dual Lock™ Low Profile Fastener | 25mm x 45.7M |

#### 3M™ BUMPON PROTECTORS

- Protects delicate surfaces from being marked
- Use with small appliances and desktop or handheld electronic devices
- Applies easily with 3M<sup>™</sup> pressure sensitive adhesive
- Will not crack or harden



| <b>Product Code</b> | Description  | Sizes          |
|---------------------|--|----------------|
| SJ530309            | 3M™ Bumpon Protector - Transparent - sheet of 56   | 11.1mm x 5.0mm |
| SJ538209            | 3M™ Bumpon Protector - Transparent - sheet of 3000 | 6.4mm x 1.9mm  |











#### 3M™ SPRAY 77 - MULTI PURPOSE ADHESIVE SPRAY

- Joins a wide range of lightweight materials
- Apply directly on to surfaces with easy to dispense spray formula
- · Get a fast permanent bond in seconds
- · Forms strong bonds with paper, cardboard, fabric, cushion foam, plastic, metal, wood and more

| <b>Product Code</b> | Description                  | Size  |
|---------------------|------------------------------|-------|
| SPRAY77             | 3M™ Spray 77 - Multi Purpose | 500ml |

#### 3M™ SPRAY 75 - REPOSITIONABLE ADHESIVE SPRAY

- Ideal for temporary hold and positioning of lightweight materials
- Join delicate substrates without damaging the material
- Heat resistance is 110°F
- Dries clear

| <b>Product Code</b> | Description                                  | Size  |
|---------------------|--|-------|
| SPRAY75             | 3M™ Spray 75 - Repositionable Adhesive Spray | 500ml |



#### 3M™ DISPLAY MOUNT ADHESIVE SPRAY

- Specifically designed for exhibition stands, studio and theatre sets
- Provides a strong and immediate bond
- Non staining
  Dries clear

| Product Code | Description                      | Size  |
|--------------|----------------------------------|-------|
| 820DMOUNT    | 3M™ Display Mount Adhesive Spray | 400mi |

#### 3M™ PHOTO MOUNT ADHESIVE SPRAY

- High-strength adhesive
- Gives an instant, secure hold when used to bond two surfaces together
- CFC and acid free
  Dries clear
- Good resistance to both high temperatures and UV light.

| <b>Product Code</b> | Description                    | Size  |
|---------------------|--------------------------------|-------|
| 820PMOUNT           | 3M™ Photo Mount Adhesive Spray | 400ml |



Visit www.directa.co.uk for all our 3M™ Sprays



#### 3M™ SCOTCH-WELD™ SOLVENT NO. 1

- Use for removing excess adhesives from parts and equipment
- Apply for dilution and viscosity control
- Cleans 3M<sup>™</sup> Fastbond<sup>™</sup> products

| Product Code | Description       | Size    |
|--------------|-------------------|---------|
| 935SOLV1     | 3M™ Solvent No. 1 | 1 Litre |

#### 3M™ SCOTCH 1625 ELECTRICAL CONTACT CLEANER SPRAY

- Gently loosens light oxide layers, grease and dirt
- Useful for sensitive electronic parts. E.g. Measuring and controlling instruments, light-duty contacts, switches, relays or circuit breaker
- Can be used on plastics but may corrode rubber

| <b>Product Code</b> | Description                           | Size  |
|---------------------|---------------------------------------|-------|
| 1501625             | 3M™ Scotch 1625 Contact Cleaner Spray | 400ml |



#### 3M™ COMMAND STRIPS

- The convenient way to bond lighter weight materials together temporarily
- Easy to apply and remove only the adhesive comes off
- Ideal for: Temporary signing and posters
- 1 box = 1000 strips

| <b>Product Code</b> | Description                | Sizes       |
|---------------------|----------------------------|-------------|
| 155COMML            | 3M™ Command Strips - Large | 7cm x 2cm   |
| 155COMMS            | 3M™ Command Strips - Small | 2cm x 1.5cm |


#### 3M™ SCOTCH HANG TABS

- Stick to most products or packaging surfaces so that the item can be displayedarily . Clear sturdy polyester
- Pressure sensitive adhesive backing
- Rubber resin adhesive sticks instantly to most shrink wrapped packages, cartons and product surfaces

| <b>Product Code</b> | Description                | Sizes           |
|---------------------|----------------------------|-----------------|
| 8281074             | 3M™ Hang Tabs – Round Hole | 50.8mm x 50.8mm |
| 8281075             | 3M™ Hang Tabs - Delta Hole | 50.8mm x 50.8mm |













#### 3M™ ALUMINIUM FOIL TAPE Rubber adhesive

 Easy release liner Designed for holding and sealing on a variety of surfaces

Meets low flammable rating according to DIN4102B1

Best results obtained when applied to clean dry surfaces above 0°C

| Product Code | Description                         | Size       |
|--------------|-------------------------------------|------------|
| 1436BUBU     | 3M™ Scotch 1436 Aluminium Foil Tape | 50mm x 50M |

#### 3M™ DAMPING FOIL TAPE

- Use this tape to die-cut aluminium foil parts and reduce noise in all types of vehicle and appliances
- Acrylic viscoelastic works to absorb vibration
- Reduces noise and metal fatigue
- Thermally conductive for heating and cooling efficiency

| <b>Product Code</b> | Description           | Size       |
|---------------------|-----------------------|------------|
| 2552BUBG            | 3M™ 2552 Damping Foil | 50mm x 33M |







#### 3M™ SCOTCH 23 RUBBER SPLICING TAPE

- Self-fusing rubber tape for high and low voltage insulating
- Highly conformable
- Will stretch up to 1000% without affecting physical and electrical properties
- Provides excellent insulation for low voltage through to joints up to 69kV

| Product Code | Description               | Size         |
|--------------|---------------------------|--------------|
| 011T2319     | 3M™ Scotch 23 Rubber Tape | 19mm x 9.15M |

#### 3M™ JET MELT QUADRACK

- 100% solids thermoplastic adhesive allows for adjustment ove time to meet different project demands
- Formulated to be flexible at low temperatures to ease modification and positioning during application
- Provides dependability through good shear and peel strength

| The Person Name and Address of the Owner, where the Person of the Person |
|--|

| <b>Product Code</b> | Description                        | Sizes        |
|---------------------|------------------------------------|--------------|
| 3792909AEQ          | 3M™ 3792 Jet Melt Quadrack - Tan   | 200mm x 15mm |
| 379209LMQ           | 3M™ 3792 Jet Melt Quadrack - Clear | 200mm x 15mm |
| 376409Q             | 3M™ 3764 Jet Melt Quadrack - Tan   | 200mm x 15mm |





#### 3M™ REUSABLE HALF MASK 4251+ SERIES

- Maintenance free
- Designed for effective and comfortable protection against many gases, vapours and combination particulate hazards
- Twin inhalation valves
- Optional overspray guard (400+)

| <b>Product Code</b> | Description                  | Size |
|---------------------|------------------------------|------|
| 9904251             | 3M™ Reusable Half Mask 4251+ |      |




# 8835

#### 3M™ 8835 FFP3 DUST MASKS

- Ensures high efficiency protection against all types of dust, mist, metal and fumes
- Low breathing resistance.
- Can offer protection against various flu viruses
- Supplied in a pack of 5

| Product Code | Description             | Size         |
|--------------|-------------------------|--------------|
| 9908835      | 3M™ 8835 FFP3 Dust Mask | Medium/Large |

FOR OUR FULL RANGE OF 3M MASKS **VISIT OUR WEBSITE** www.directa.co.uk

















#### 3M™ SCOTCH-BRITE™ HANDPADS CF-SR

- · Superior alternative to steel wool, wire brushes, sandpaper, and other non-woven products for cleaning or finishing tasks
- Long life more consistent finish over standard pads
- · Contains pre-cut sheets on a roll for ease of use
- 35 pads per roll
  Ultra fine AVFN

| Product Code | Description                | Size          |
|--------------|----------------------------|---------------|
| 75007903     | 3M™ Scotch-Brite™ Handpads | 115mm x 150mm |

#### 3M™ SCOTCH-BRITE™ EXL DEBURRING WHEELS DB-WL

- Ideal for all large deburring and deflashing operations
- Dark grey
- Minimises heat build up
- Produces a professional finish

| <b>Product Code</b> | Description                       | Size                    |
|---------------------|-----------------------------------|-------------------------|
| 75018762            | 3M™ Scotch-Brite™ Deburring Wheel | 152mm x 25.4mm x 25.4mm |



#### 3M™ SCOTCH-BRITE™ CLEANING AND FINISHING HANDPADS

- Designed for cleaning, blending and finishing applications on a variety of materials
- Wide range of grades to choose from
- Sold in packs of 20 (except for code 75005306 which is sold singularly)

| Product Code | Description                     | Sizes                     |
|--------------|---------------------------------|---------------------------|
| 7500530320   | 3M™ Scotch-Brite™ Handpads AVFN | 155mm x 225mm - Maroon    |
| 75005305     | 3M™ Scotch-Brite™ Handpads AFIN | 155mm x 225mm - Lgt Green |
| 75005306     | 3M™ Scotch-Brite™ Handpads ACRS | 155mm x 225mm - Dk Green  |
| 75005307     | 3M™ Scotch-Brite™ Handpads      | 155mm x 225mm - White     |



#### 3M™ 310U STICK IT DISCS HOLED

- Great value multi-purpose lightweight paper abrasive discs on a roll
- Premium aluminium oxide on a C weight paper backing
- Resin bonded for a faster cut and longer life
- Load-resistant coating to prolong abrasive life
- Ideal for intermediate and final sanding on lacquered hard and soft woods, paints lacquers, primers, solid surface materials, metals and plastics

| <b>Product Code</b> | Description                        | Sizes          |
|---------------------|------------------------------------|----------------|
| 75000820            | 3M™ 310 Stick Discs Holed 120 Grit | 150mm Diameter |
| 75000828            | 3M™ 310 Stick Discs Holed 320 Grit | 150mm Diameter |
| 75000830            | 3M™ 310 Stick Discs Holed 400 Grit | 150mm Diameter |



#### 3M™ 245 HOOKIT ABRASIVE DISCS

- High performance heavy duty E weight aluminium oxide paper product
- Used for stock removal on metal paints and fillers
- Holed/600A 75001691

| <b>Product Code</b> | Description                              | Sizes          |
|---------------------|--|----------------|
| 75001645            | 3M™ 245 Hookit Abrasive Discs - 120 Grit | 150mm Diameter |
| 75001646            | 3M™ 245 Hookit Abrasive Discs - 100 Grit | 150mm Diameter |
| 75001647            | 3M™ 245 Hookit Abrasive Discs - 80 Grit  | 150mm Diameter |
| 75001648            | 3M™ 245 Hookit Abrasive Discs - 60 Grit  | 150mm Diameter |
| 75001649            | 3M™ 245 Hookit Abrasive Discs - 40 Grit  | 150mm Diameter |

#### 3M™ ZIRCONIA FIBRE DISCS 581C

- Heavyweight, with a thermo-formed fibre backing
- Made of an alumina zirconia abrasive on a fibre backing that's closed coated and resin bonded
- Dimensional stability during use, is ensured by slots around the attachment area

| <b>Product Code</b> | Description                              | Sizes        |
|---------------------|--|--------------|
| 75050501            | 3M™ Zirconia Fibre Discs 581C - 36 Grit  | 115mm x 22mm |
| 75050503            | 3M™ Zirconia Fibre Discs 581C - 60 Grit  | 115mm x 22mm |
| 75050505            | 3M™ Zirconia Fibre Discs 581C - 80 Grit  | 115mm x 22mm |
| 75050507            | 3M™ Zirconia Fibre Discs 581C - 120 Grit | 115mm x 22mm |




Visit www.directa.co.uk for all our 3M<sup>™</sup> Abrasive Discs











Flexible and conformable water resistant backing

Can be used on paints, gel coats and lacquers

Wide range of grades available

| <b>Product Code</b> | Description                                 | Sizes         |
|---------------------|---|---------------|
| 75002005            | 3M™ Wet or Dry 734 Paper Sheets - 1200 Grit | 230mm x 280mm |
| 75002006            | 3M™ Wet or Dry 734 Paper Sheets - 1000 Grit | 230mm x 280mm |
| 75002007            | 3M™ Wet or Dry 734 Paper Sheets - 800 Grit  | 230mm x 280mm |
| 75002008            | 3M™ Wet or Dry 734 Paper Sheets - 600 Grit  | 230mm x 280mm |
| 75002009            | 3M™ Wet or Dry 734 Paper Sheets - 500 Grit  | 230mm x 280mm |
| 75002010            | 3M™ Wet or Dry 734 Paper Sheets - 400 Grit  | 230mm x 280mm |
| 75002012            | 3M™ Wet or Dry 734 Paper Sheets - 320 Grit  | 230mm x 280mm |
| 75002013            | 3M™ Wet or Dry 734 Paper Sheets - 280 Grit  | 230mm x 280mm |
| 75002014            | 3M™ Wet or Dry 734 Paper Sheets - 240 Grit  | 230mm x 280mm |
| 75002015            | 3M™ Wet or Dry 734 Paper Sheets - 220 Grit  | 230mm x 280mm |
| 75002018            | 3M™ Wet or Dry 734 Paper Sheets - 180 Grit  | 230mm x 280mm |
| 75002019            | 3M™ Wet or Dry 734 Paper Sheets - 150 Grit  | 230mm x 280mm |
| 75002020            | 3M™ Wet or Dry 734 Paper Sheets - 120 Grit  | 230mm x 280mm |
| 75002021            | 3M™ Wet or Dry 734 Paper Sheets - 100 Grit  | 230mm x 280mm |

#### 3M™ 314D EMERY CLOTH ROLL

- Versatile aluminum oxide abrasive roll can be used on metal. wood, and plastic
- Cloth backing is both flexible and durable to withstand heavy
- Strips can be torn to size and wound around circular pieces, twisted to fit cylinders, or folded to reach into corners
- Handy packaging provides easy portability
- Use for deburring, blending and repairing metal finishes

| <b>Product Code</b> | Description                          | Sizes      |
|---------------------|--------------------------------------|------------|
| 750AVAV60           | 3M™ 314D Emery Cloth Roll - 60 Grit  | 25mm x 25m |
| 750AVAV120          | 3M™ 314D Emery Cloth Roll - 120 Grit | 25mm x 25M |
| 750AVAV240          | 3M™ 314D Emery Cloth Roll - 240 Grit | 25mm x 25M |
| 750AVAV400          | 3M™ 314D Emery Cloth Roll - 400 Grit | 25mm x 25M |
| 750BUAV40           | 3M™ 314D Emery Cloth Roll - 40 Grit  | 50mm x 25M |
| 750BUAV150          | 3M™ 314D Emery Cloth Roll - 150 Grit | 50mm x 25M |
| 750BUAV240          | 3M™ 314D Emery Cloth Roll - 240 Grit | 50mm x 25M |

