

**DIRECTA**



**FOOT**  
PROTECTION

OUR RANGE OF  
FOOTWEAR IS DESIGNED  
TO ENSURE THE USER'S  
FEET ARE PROTECTED  
IN ALL WORKING  
CONDITIONS.

**WHATEVER  
THE TASK.**



### COMFORTABLE

Durable footwear for ease of movement



### LONG LASTING

High quality, durable products



ANTI-STATIC  
PROPERTIES

STEEL  
TOE CAP

FUEL OIL  
RESISTANCE

AVAILABLE IN



1 PAIR PER POLYBAG  
6 PAIRS PER CARTON



## BLACK SAFETY TOE WELLINGTONS

SIZE UK 5 - 13 (EU 38 - 48)

- Black PVC upper with kick off lug at heel
- PVC / nitrile sole
- Outer sole is of hard density material
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S4 SRA

CODE: DWFO015 ●





## BLACK SAFETY TOE AND MIDSOLE WELLINGTONS

SIZE UK 5 - 13 (EU 38 - 48)

- Black PVC upper with kick off lug at heel
- Steel midsole
- PVC / nitrile sole
- Outer sole is of hard density material
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S5 SRA

CODE: DWFO020 ●



## WHITE SAFETY TOE WELLINGTONS

UK 5 - 13 (EU 38 - 48)

- White PVC upper with kick off lug at heel
- PVC / nitrile sole
- Outer sole is of hard density material
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S4 SRA

CODE: DWFO025 ○



## TAN LINED RIGGER BOOTS

UK 5 - 13 (EU 38 - 48)

- Tan apollo leather upper
- Leather pull on hoops
- Contrast beige stitching
- Synthetic faux fur lining
- Replaceable, full length cushioned insock
- Steel midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO035 ●



## BLACK LINED WP RIGGER BOOTS

UK 5 - 13 (EU 38 - 48)

- Printed black apollo leather upper
- Padded ankle support
- Leather pull on loops
- Bottom half waterproof membrane lining
- TPU heel support and protection
- Replaceable, full length cushioned EVA insock
- Composite midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S3 WR SRC

CODE: DWFO070 ●



## BLACK S1 CHUKKA BOOTS

UK 3 - 14 (EU 36 - 49)

- Black printed leather upper
- Padded PU collar
- 4 pairs of steel 'D' rings
- Moisture wicking textile lining
- Replaceable, full length cushioned insock
- PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S1 SRC

CODE: DWFO120 ●



## BLACK S1P CHUKKA BOOTS

UK 3 - 14 (EU 36 - 49)

- Black printed leather upper
- Fully padded PU collar
- 4 pairs of steel 'D' rings
- Moisture wicking textile lining
- Replaceable, full length cushioned insock
- Steel midsole
- PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO030 ●

## CRAZY HORSE BROWN HIKER BOOTS

featured on page 7






ANTI-STATIC  
PROPERTIES

AVAILABLE IN



1 PAIR PER BOX  
10 PAIRS PER CARTON



ANTI-STATIC  
PROPERTIES

AVAILABLE IN



1 PAIR PER BOX  
10 PAIRS PER CARTON

## BLACK ANKLE BOOTS

UK 3 - 13 (EU 36 - 48)

- Smooth black leather upper
- Padded PU collar
- Suede leather padded tongue
- 3 pairs of steel lace loops and 2 pairs of steel hooks to aid quick release lacing
- Moisture wicking textile lining
- Replaceable, full length cushioned EVA insock
- Steel midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO045 ●

## BLACK TRAINER BOOTS

UK 3 - 13 (EU 36 - 48)

- Smooth black leather and textile mesh upper
- Anti scuff toe guard and padded collar
- 3 pairs of steel lace loops and 1 pair of hooks to aid quick release lacing
- Moisture wicking textile lining
- Replaceable, full length cushioned EVA insock
- Steel midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO050 ●

**PROTECT  
YOUR FEET  
WHILST WORKING.**

DWFO065 featured on page 7



**WARRIOR™**

OUR FOOTWEAR  
HAS BEEN DESIGNED  
WITH PRACTICALITY,  
PROTECTION AND  
COMFORT IN MIND.

## PROTECT YOUR FEET.



### PRACTICAL

Designed for ease of movement and  
comfort in all working conditions



### HIGH QUALITY

Designed for the toughest conditions



ANTI-STATIC  
PROPERTIES

STEEL  
TOE CAP

FUEL OIL  
RESISTANCE

AVAILABLE IN



1 PAIR PER BOX  
10 PAIRS PER CARTON



## BLACK DEALER BOOTS

UK 4 - 13 (EU 37 - 48)

- Smooth black leather
- Elasticated ankle support
- Moisture wicking textile lining
- Replaceable, full length cushioned EVA insock
- Steel midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO060 ●





## BROWN WAXY DEALER BOOTS

UK 3 - 13 (EU 36 - 48)

- Brown crazy horse waxy leather
- Brown sandwich mesh wicking lining
- Dark brown elasticated ankle
- TPU heel support
- Black flexi EVA insock with anti-static stitching
- Steel midsole
- Dual density PU / PU sole
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S3 SRC

CODE: DWFO095 ●



## BLACK WAXY DEALER BOOTS

UK 3 - 13 (EU 36 - 48)

- Black crazy horse waxy leather
- Dark grey sandwich mesh wicking lining
- Black elasticated ankle
- TPU heel support
- Black flexi EVA insock with anti-static stitching
- Steel midsole
- Dual density PU sole with moulded scuff resistant cap
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S3 SRC

CODE: DWFO205 ●



## WELTED BOOTS

UK 6 - 13 (EU 39 - 48)

- Smooth black leather upper / smooth sand coloured nubuck leather upper
- Soft padded PU collar
- Black / sand suede padded tongue
- 7 pairs of brass hexagonal eyelets
- Moisture wicking textile lining
- Replaceable, full length cushioned EVA insock
- Steel midsole
- Goodyear welted nitrile / rubber sole
- Contact heat resistance to 300°C



### TECHNICAL DETAILS

EN ISO 20345: 2011

SBP FO HRO SRC

CODE: DWFO040 ●

CODE: DWFO065 ●



## HIKER BOOTS

UK 3 - 13 (EU 36 - 48)

- Wheat nubuck leather upper / dark brown leather upper / crazy horse brown leather upper
- Water resistant upper
- Brown sandwich mesh lining
- Dark brown PU padded collar
- Black PU foam insock
- 4 gun metal loops and 2 gun metal hooks / 4 antique metal loops and 2 antique metal hooks
- Composite midsole
- Softer density EVA / harder density rubber outsole
- Abrasion and slip resistant
- Shock absorbing heel



### TECHNICAL DETAILS

EN ISO 20345: 2011

S2P SRC

CODE: DWFO115 ●

CODE: DWFO125 ●

CODE: DWFO130 ●



## BLACK ACTION ANKLE BOOTS

COMING SOON

UK 4 - 13 (EU 37 - 48)

- Black action crazy horse waxy leather upper
- Grey nylon sandwich mesh lining
- Black oxford nylon mesh padded collar
- TPU heel kick off support
- 5 gun metal hexagonal eyelets with gun metal quick release anchor hook
- Black PU foam insock
- Steel midsole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S3 SRC

CODE: DWFO175 ●



## DARK BROWN ACTION ANKLE BOOTS

COMING SOON

UK 4 - 13 (EU 37 - 48)

- Dark brown action crazy horse waxy leather upper
- Grey nylon sandwich mesh lining
- Brown oxford nylon mesh padded collar
- TPU heel kick off support
- 5 antique metal hexagonal eyelets with antique metal quick release anchor hook
- Black PU foam insock
- Steel midsole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S3 SRC

CODE: DWFO180 ●



## HONEY ACTION ANKLE BOOTS

COMING SOON

UK 4 - 13 (EU 37 - 48)

- Honey action nubuck leather upper
- Brown nylon sandwich mesh lining
- Dark brown PU perforated padded collar
- TPU heel kick off support
- 5 antique metal hexagonal eyelets with antique metal quick release anchor hook
- Black PU foam insock
- Steel midsole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S3 SRC

CODE: DWFO185 ●





## UNISEX WP HIKER BOOTS WITH SCUFF CAPS

UK 3 - 13 (EU 36 - 48)

- Black / waxy brown water resistant full grain leather upper
- Fully padded nylon mesh collar
- TPU heel and ankle support
- 4 pairs of special designed metal lace loops
- 2 pairs of metal hooks to aid quick release lacing
- Moisture wicking textile waterproof / breathable membrane lining
- Replaceable, full length cushioned insock
- Steel midsole
- Dual density PU sole with moulded scuff resistant cap
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S3 WR SRC

CODE: DWFO075 ●

CODE: DWFO080 ●



## BLACK WAXY BOOTS WITH SCUFF CAPS

UK 4 - 12 (EU 37 - 47)

- Black water resistant buffalo crazy horse waxy leather
- Red sandwich mesh lining and pull on woven heel tape
- Oxford nylon mesh padded collar and tongue
- Black gel heel insock with anti-static stitching
- TPU heel support
- 6 metal loops
- Composite midsole
- Black PU injection with rubber outsole and scuff protection
- Contact heat resistance to 300°C
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S3 HRO SRC

CODE: DWFO110 ●

QUALITY FOOT PROTECTION BY WARRIOR.



HELP PREVENT THE  
RISK OF INJURIES TO  
YOUR FEET BY WEARING  
OUR QUALITY WAXY  
FULL GRAIN BOOTS.

**PROTECT  
YOUR  
FEET.**



### **WATER RESISTANT**

Designed to keep your feet dry



### **GREAT VALUE**

Premium footwear within budget



ANTI-STATIC  
PROPERTIES

STEEL  
TOE CAP

FUEL OIL  
RESISTANCE

AVAILABLE IN



1 PAIR PER BOX  
5 PAIRS PER CARTON



## **BLACK WAXY FULL GRAIN BOOTS**

UK 4 - 13 (EU 37 - 48)

- Waxy black water resistant full grain leather upper
- Deep padded PU collar
- 5 pairs of metal lace loops to aid quick release lacing
- Moisture wicking sandwich mesh lining
- Replaceable, full length cushioned insock
- Steel midsole
- Dual density PU / rubber sole
- Outer sole is of hard density rubber
- Mid section of sole is made of softer density PU for comfort
- Contact heat resistance to 300°C
- Abrasion and slip resistant
- Shock absorbing heel

#### **TECHNICAL DETAILS**

EN ISO 20345: 2011

S3 HRO SRC

CODE: DWFO085 ●



ANTI-STATIC  
PROPERTIESAVAILABLE IN  
●  
1 PAIR PER BOX  
5 PAIRS PER CARTON**BLACK METATARSAL BOOTS**

UK 4 - 13 (EU 37 - 48)

- Black barton print split action leather
- Water resistant
- Red sandwich mesh lining
- PU padded collar and tongue
- Red EVA insock with anti-static stitching
- Steel midsole
- Composite metatarsal protector
- Dual density black PU with black / red rubber outsole
- Contact heat resistance to 300°C
- Abrasion and slip resistant
- Shock absorbing heel

**TECHNICAL DETAILS**

EN ISO 20345: 2011

S3 M HRO SRC

CODE: DWFO105 ●

ANTI-STATIC  
PROPERTIESAVAILABLE IN  
●  
1 PAIR PER BOX  
10 PAIRS PER CARTON**BLACK SHOES**

UK 3 - 13 (EU 36 - 48)

- Printed leather upper
- Padded PU collar
- 3 pairs of steel round eyelets
- Moisture wicking textile lining
- Replaceable, full length cushioned insock
- Steel midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

**TECHNICAL DETAILS**

EN ISO 20345: 2011

S1P SRC

CODE: DWFO135 ●

ANTI-STATIC  
PROPERTIESAVAILABLE IN  
●  
1 PAIR PER BOX  
10 PAIRS PER CARTON**BLACK TRAINER SHOES**

UK 3 - 13 (EU 36 - 48)

- Smooth black leather and textile mesh upper
- Scuff toe guard and padded collar
- 4 pairs of steel lace loops and 1 pair of hooks for quick release lacing
- Moisture wicking textile lining
- Replaceable, full length cushioned insock
- Steel midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

**TECHNICAL DETAILS**

EN ISO 20345: 2011

S1P SRC

CODE: DWFO140 ●

ANTI-STATIC  
PROPERTIESAVAILABLE IN  
○  
1 PAIR PER BOX  
10 PAIRS PER CARTON**WHITE HYGIENE SLIP ON SHOES**

UK 3 - 13 (EU 36 - 48)

- Water resistant microfibre upper
- Padded collar
- Clean design for good liquid run off
- Elastic to aid fitting under tongue
- Anti-bacterial moisture wicking textile lining
- Replaceable, full length cushioned EVA insock, perforated to aid airflow
- Single density PU sole
- Slip resistant
- Shock absorbing heel

**TECHNICAL DETAILS**

EN ISO 20345: 2011

S2 SRC

CODE: DWFO150 ○

HELP PREVENT THE  
RISK OF INJURIES BY  
WEARING OUR WARRIOR  
BLACK SUEDE LEATHER  
FOOT PROTECTION.

# QUALITY LADIES TRAINERS.



## COMFORTABLE

Durable footwear for ease of movement



## HIGH QUALITY

Designed for the toughest conditions



ANTI-STATIC  
PROPERTIES

STEEL  
TOE CAP

FUEL OIL  
RESISTANCE

AVAILABLE IN



1 PAIR PER BOX  
10 PAIRS PER CARTON



## LADIES TRAINERS

UK 3 - 8 (EU 36 - 42)

- Black suede leather and breathable nylon mesh upper
- Padded nylon collar
- 4 pairs of blind eyelets to aid easy lacing
- Moisture wicking textile sandwich mesh lining in contrast black with pink tongue lining colours
- Replaceable, full length cushioned insock, perforated to aid airflow
- Composite midsole
- Dual density phylon / rubber sole
- Outer sole is of hard density rubber
- Mid section of sole is made of softer density phylon for wearer comfort
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO155 ●





## LADIES TRAINERS

UK 3 - 8 (EU 36 - 42)

- Black action nubuck leather upper
- Padded PU collar
- 3 pairs of blind eyelets to aid easy lacing
- 1 pair of plastic reinforced eyelets
- Moisture wicking textile sandwich mesh lining in contrast black and pink colours
- Replaceable, full length cushioned insock, perforated to aid airflow
- Composite midsole
- Single density rubber sole
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO160 ●



## BLACK L / W MESH TRAINERS

UK 3 - 12 (EU 36 - 47)

- Black lightweight nylon mesh upper
- Black sandwich mesh lining and pull on woven heel loop
- Oxford padded collar and tongue
- Black insock with anti-static stitching
- TPU heel and ankle support
- TPU scuff toe protector
- 5 black round eyelets
- Composite midsole
- Cemented dual density EVA / rubber sole
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO165 ●



## RED L / W KPU / MESH TRAINERS

UK 3 - 12 (EU 36 - 47)

- Black lightweight KPU shell and red nylon mesh upper
- Black sandwich mesh lining and pull on woven heel loop
- Oxford nylon mesh padded tongue
- Black insock with anti-static stitching
- TPU heel and ankle support
- TPU scuff toe protector
- 5 black round eyelets
- Composite midsole
- Cemented dual density EVA / rubber sole
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO170 ●



## BLACK COMPOSITE SHOES

UK 3 - 13 (EU 36 - 48)

- Smooth black leather upper
- Polyurethane padded collar
- 3 pairs of non metallic eyelets
- Moisture wicking textile lining
- Replaceable, full length cushioned EVA insock
- Composite midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO145 ●

HELP PREVENT THE  
RISK OF INJURIES BY  
WEARING OUR QUALITY  
WARRIOR BLACK  
COMPOSITE WP BOOTS.

# QUALITY FOOT PROTECTION.



## WATER RESISTANT

Designed to keep your feet dry



## PRACTICAL

Designed for ease of movement and  
comfort in all working conditions



ANTI-STATIC  
PROPERTIES

METAL FREE

GLASS FIBRE  
TOE CAP

FUEL OIL  
RESISTANCE

AVAILABLE IN



1 PAIR PER BOX  
10 PAIRS PER CARTON

## BLACK COMPOSITE WP BOOTS

UK 3 - 13 (EU 36 - 48)

- Smooth black water resistant leather upper
- Fully padded textile mesh collar, contrast grey stitching
- 4 pairs of plastic lace loops and 2 pairs of plastic hooks to aid quick release lacing
- Moisture wicking textile waterproof membrane lining
- Replaceable, full length cushioned insock
- Composite midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for wearer comfort
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S3 WR SRC

CODE: DWFO055 ●





## BLACK COMPOSITE UNIFORM BOOTS

UK 3 - 13 (EU 36 - 48)

- Black smooth action leather
- Dark grey sandwich mesh nylon lining
- PU padded collar and tongue
- 4 woven loop black / grey / black lace fixings
- Black flexi EVA insock with anti-static stitching
- Composite midsole
- Dual density PU / PU sole
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO100 ●



## BLACK WAXY COMPOSITE WP BOOTS

UK 4 - 12 (EU 37 - 47)

- Black full grain buffalo waxy leather upper
- Water resistant
- Grey sandwich mesh and waterproof bag lining
- Grey oxford nylon mesh padded collar and tongue
- Black TPU anti scuff toe protector
- TPU ankle and heel support
- 4 black plastic hooks and 1 woven loop
- Gel heel insock with anti-static stitching
- Composite midsole
- Grey EVA midsole with black / red rubber outsole
- Contact heat resistance to 300°C
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S3 WR HRO SRC

CODE: DWFO090 ●



## BLACK LACE UP MANAGER SHOES

UK 5 - 13 (EU 38 - 48)

- Black action split cow leather upper
- Tan nylon breathable mesh lining
- Soft microfibre heel and padded ankle trim
- 3 blind eyelets and black waxed cord shoe lace
- Tan EVA cushioned insock
- Composite midsole
- Water resistant
- Black PU single density sole
- Abrasion and slip resistant

### TECHNICAL DETAILS

EN ISO 20345: 2011

S3 SRC

CODE: DWFO190 ●



## BLACK LACE-UP BROGUE SHOES

UK 5 - 13 (EU 38 - 48)

- Black action split cow leather upper with brogue holed upper pattern
- Tan nylon breathable mesh lining
- Soft microfibre heel and padded ankle trim
- 4 blind eyelets and black waxed cord shoe lace
- Tan EVA cushioned insock
- Composite midsole
- Water resistant
- Black PU single density sole
- Abrasion and slip resistant

### TECHNICAL DETAILS

EN ISO 20345: 2011

S3 SRC

CODE: DWFO195 ●



**WARRIOR™**



**Directa UK Ltd**  
Cold Norton, Essex,  
CM3 6UA

**sales@directa.co.uk**  
**01621 828 882**  
**www.directa.co.uk**

**WARRIOR™**



WARRIOR AND WARRIOR PROTECTS ARE TRADE MARKS  
OF MAIN MAN SUPPLIES LTD