

DIRECTA



**HAND
AND ARM
PROTECTION**

WARRIOR™

**BLACK LATEX
THERMAL GLOVES**

featured on page 12



THE USER MUST SELECT THE APPROPRIATE HAND & ARM PROTECTION FOR THE TASK IN HAND.



AVAILABLE IN

 12 PAIRS PER PACK
 600 PAIRS PER CARTON

MENS STOCKINETTE K/W GLOVES

SIZE 10

■ Polyester / cotton



TECHNICAL DETAILS

WARNING: This product is NOT food safe

CODE: DWGL215 



AVAILABLE IN

 12 PAIRS PER PACK
 600 PAIRS PER CARTON

BLEACHED COTTON GLOVES

SIZE LADIES / MENS

■ Polyester / cotton



TECHNICAL DETAILS

CODE: DWGL220  

CODE: DWGL225  




AVAILABLE IN

 12 PAIRS PER PACK
 300 PAIRS PER CARTON

MENS 8OZ COTTON DRILL K/W GLOVES

SIZE 10

■ Beige 8oz cotton



TECHNICAL DETAILS

CODE: DWGL230 



AVAILABLE IN
 
 12 PAIRS PER PACK
 300 PAIRS PER CARTON

MIXED FIBRE GLOVES

SIZE 10

■ White / grey - polyester / cotton



TECHNICAL DETAILS

CODE: DWGL235 

CODE: DWGL240 



AVAILABLE IN

 6 PAIRS PER PACK
 120 PAIRS PER CARTON

MENS 32OZ TERRY CLOTH K/W GLOVES

SIZE 10

■ Beige 32oz cotton



TECHNICAL DETAILS

CODE: DWGL245 



AVAILABLE IN

 12 PAIRS PER PACK
 240 PAIRS PER CARTON

WHITE UNCOATED POLYESTER GLOVES

SIZE 7 - 10

■ 13G white polyester liner
 ■ Silicone free



TECHNICAL DETAILS

CODE: DWGL185 

HELP PREVENT THE
RISK OF INJURIES BY
WEARING OUR QUALITY
WARRIOR HAND
PROTECTION.

PROTECT
YOUR
HANDS.



HARD-WEARING

Our quality gloves are durable and stand
the test of time



FOOD
SAFE

AVAILABLE IN



1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

HOUSEHOLD GLOVES

SIZE S - XL

- Cotton flock lined
- Yellow / blue latex coating
- Soft and durable
- Easy fit

TECHNICAL DETAILS

WARNING: Contains Latex*

EN 1186

CODE: DWGL355



CODE: DWGL360



*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



CAT. I



DOTTED PVC


AVAILABLE IN

12 PAIRS PER PACK
120 PAIRS PER CARTON

BLUE PVC DOTTED GLOVES

SIZE 7 - 10

- 10G white polyester / cotton liner
- Blue PVC dots to palm, fingers and thumbs



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 1

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 4

Puncture Resistance - Level: X

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL155



AVAILABLE IN

12 PAIRS PER PACK
60 PAIRS PER CARTON

STANDARD RIGGER GLOVES

SIZE 10

- Grey cow split leather
- Grey cow split leather patch palm



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL105



AVAILABLE IN

12 PAIRS PER PACK
60 PAIRS PER CARTON

RED RIGGER GLOVES

SIZE 10 & 12

- Grey cow split leather



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 4

Puncture Resistance - Level: 3

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL110



AVAILABLE IN

12 PAIRS PER PACK
60 PAIRS PER CARTON

REINFORCED PALM RIGGER GLOVES

SIZE 10

- Grey cow split leather
- Black cow split leather reinforced palm



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: 2

Tear Resistance - Level: 4

Puncture Resistance - Level: 4

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL115



HELP PREVENT THE
RISK OF INJURIES BY
WEARING OUR QUALITY
WARRIOR HAND
PROTECTION.

PROTECT
YOUR
HANDS.



VELCRO FASTENING
Easy to wear and adjustable



AVAILABLE IN



1 PAIR PER POLYBAG
6 PAIRS PER PACK
72 PAIRS PER CARTON

YELLOW LINED DRIVERS GLOVES

SIZE 10

- Yellow cow grain leather
- Red cotton full fleece / flannel lining
- Velcro fastening cuff strap

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 3

Straight Blade Cut Resistance Method
(EN ISO 13997) - Level: X

CODE: DWGL120



CAT. II



WARNING:
Not for use with
liquids, not flame
resistant

AVAILABLE IN



6 PAIRS PER PACK
60 PAIRS PER CARTON



WARNING:
Not for use with
liquids, not flame
resistant

AVAILABLE IN



6 PAIRS PER PACK
60 PAIRS PER CARTON

RED WELDERS GAUNTLETS

SIZE 10

- Red cow leather
- Partial wetting to the seams and finger tips
- Self hemmed

 CAT. II

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 4

Puncture Resistance - Level: 4

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

EN407: 2004

Burning Behaviour - Level: 4

Contact Heat - Level: 2

Convective Heat - Level: 3

Radiant Heat - Level: X

Small Splashes of Molten Metal - Level: 4

Large Quantities of Molten Metal - Level: X

EN12477: TYPE A

CODE: DWGL095 ●

YELLOW REINFORCED PALM WELDERS GAUNTLETS

SIZE 10

- Yellow cow leather
- Red cow leather reinforced palm
- Partial wetting to the seams and finger tips
- Self hemmed

 CAT. II

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: 2

Tear Resistance - Level: 4

Puncture Resistance - Level: 4

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

EN407: 2004

Burning Behaviour - Level: 4

Contact Heat - Level: 2

Convective Heat - Level: 3

Radiant Heat - Level: X

Small Splashes of Molten Metal - Level: 4

Large Quantities of Molten Metal - Level: X

EN12477: TYPE A

CODE: DWGL100 ●

**PROTECT
YOUR HANDS
WHILST WELDING.**



DWGL125 featured on page 8



WARNING:
Not for use with
liquids, not flame
resistant

AVAILABLE IN



6 PAIRS PER PACK
60 PAIRS PER CARTON



AVAILABLE IN



12 PAIRS PER PACK
120 PAIRS PER CARTON

GREY TIG WELDERS GAUNTLETS

SIZE 10

- Grey goat grain leather palm and fingers
- Grey cow leather cuff



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

EN407: 2004

Burning Behaviour - Level: 4

Contact Heat - Level: 1

Convective Heat - Level: 3

Radiant Heat - Level: X

Small Splashes of Molten Metal - Level: 4

Large Quantities of Molten Metal - Level: X

EN12477: TYPE B

CODE: DWGL125 ●

RED PVC K/W GLOVES

SIZE 7 - 10

- Polyester jersey liner
- Red PVC coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 3

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 1

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL190 ●

GREEN LATEX GLOVES

featured on page 9






AVAILABLE IN

12 PAIRS PER PACK
120 PAIRS PER CARTON

RED PVC GAUNTLETS 11"

SIZE 9 - 10

- Polyester jersey liner
- Red PVC coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 3

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 1

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL195 ●



AVAILABLE IN

6 PAIRS PER PACK
60 PAIRS PER CARTON

RED PVC GAUNTLETS 14" / 16" / 18"

SIZE 10

- Polyester jersey liner
- Red PVC coating



DWGL200 14" pictured above

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 3

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 1

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL200 (14") ●

CODE: DWGL205 (16") ●

CODE: DWGL210 (18") ●



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

LATEX GLOVES

SIZE 8 - 11

- 10G yellow polyester / cotton liner
- Orange / green crinkle latex palm dip coating



TECHNICAL DETAILS

WARNING: Contains Latex*

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 3

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL270 ●

CODE: DWGL275 ●

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
240 PAIRS PER CARTON

BLACK LATEX GLOVES

SIZE 7 - 11

- 13G red polyester liner
- Black crinkle latex palm dip coating



TECHNICAL DETAILS

WARNING: Contains Latex*

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL015 ●

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.

HELP PREVENT THE
RISK OF INJURIES TO
YOUR HANDS BY WEARING
OUR QUALITY BLACK
FOAM LATEX GLOVES.

PROTECT
YOUR
HANDS.



HARD-WEARING

Our quality gloves are durable and stand
the test of time



AVAILABLE IN



1 PAIR PER POLYBAG
12 PAIRS PER PACK
240 PAIRS PER CARTON

BLACK FOAM LATEX GLOVES

SIZE 7 - 11

- 13G black polyester liner
- Black crinkle foam latex palm dip coating

TECHNICAL DETAILS

WARNING: Contains Latex*

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method
(EN ISO 13997) - Level: X

CODE: DWGL020 ●

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



AVAILABLE IN



1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK LATEX SUPA GLOVES

SIZE 7 - 12

- 10G red polyester liner
- Black crinkle latex palm dip coating

 CAT. II

TECHNICAL DETAILS

WARNING: Contains Latex*

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 4

Puncture Resistance - Level: 3


Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL285 ●

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.


HELP PREVENT THE
RISK OF INJURIES TO
YOUR HANDS BY WEARING
OUR QUALITY LATEX
THERMAL GLOVES.

PROTECT
YOUR
HANDS.



THERMAL

Provides the perfect balance for protection
and performance



AVAILABLE IN



1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK LATEX THERMAL GLOVES

SIZE 7 - 11

- 10G yellow / orange acrylic liner
- Black crinkle latex palm dip coating

TECHNICAL DETAILS

WARNING: Contains Latex*

EN388: 2016

Abrasion Resistance - Level: 1

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 4

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method
(EN ISO 13997) - Level: X

EN511: 2006

Convective Cold - Level: X

Contact Cold - Level: 1

Water Penetration - Level: X

CODE: DWGL040



CODE: DWGL160



*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.





AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

DOUBLE DIPPED LATEX GLOVES

SIZE 7 - 12

- 15G black and blue polyester liner
- Blue latex full dip coating
- Black sandy latex palm and thumb dip coating



TECHNICAL DETAILS

WARNING: Contains Latex*

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 3

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL005 ●

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
72 PAIRS PER CARTON

DOUBLE DIPPED LATEX THERMAL GLOVES

SIZE 7 - 12

- 7G orange acrylic liner
- Orange latex full dip coating
- Black sandy latex palm and thumb dip coating



TECHNICAL DETAILS

WARNING: Contains Latex*

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 3

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

EN511: 2006

Convective Cold - Level: X

Contact Cold - Level: 3

Water Penetration - Level: X

CODE: DWGL010 ●

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



BLACK LATEX THERMAL GLOVES

featured on page 12

BLACK LATEX GLOVES

featured on page 9

**PROTECT
YOUR HANDS
WITH WARRIOR.**



THE USER MUST SELECT THE APPROPRIATE HAND & ARM PROTECTION FOR THE TASK IN HAND.




AVAILABLE IN

 1 PAIR PER POLYBAG
 12 PAIRS PER PACK
 240 PAIRS PER CARTON

PU GLOVES

SIZE 6 - 11

- 13G black / grey / white polyester liner
- Black / grey / white PU palm dip coating

 CAT. II

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 3

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 3

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL315 ● CODE: DWGL320 ●

CODE: DWGL325 ○



AVAILABLE IN

 12 PAIRS PER PACK
 120 PAIRS PER CARTON

BLUE L/W NITRILE OPEN BACK K/W GLOVES

SIZE 8 - 10

- Beige interlock cotton liner
- Blue nitrile knuckle dip coating

 CAT. II

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 1

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL130 ●



AVAILABLE IN

 12 PAIRS PER PACK
 120 PAIRS PER CARTON

BLUE L/W NITRILE FULL DIP K/W GLOVES

SIZE 8 - 10

- Beige interlock cotton liner
- Blue nitrile full dip coating

 CAT. II

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1


Tear Resistance - Level: 1

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL135 ●



AVAILABLE IN

 12 PAIRS PER PACK
 120 PAIRS PER CARTON

BLUE H/W NITRILE OPEN BACK K/W GLOVES

SIZE 8 - 10

- Beige jersey cotton liner
- Blue nitrile knuckle dip coating

 CAT. II

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 3

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 1

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL140 ●



AVAILABLE IN

 12 PAIRS PER PACK
 120 PAIRS PER CARTON

BLUE H/W NITRILE FULL DIP K/W GLOVES

SIZE 8 - 10

- Beige jersey cotton liner
- Blue nitrile full dip coating

 CAT. II

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 3

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 1

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL145 



AVAILABLE IN

 12 PAIRS PER PACK
 120 PAIRS PER CARTON

BLUE H/W NITRILE FULL DIP SAFETY CUFF GLOVES

SIZE 9 - 10

- Beige jersey cotton liner
- Blue nitrile full dip coating

 CAT. II

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 3

Circular Blade Cut Resistance - Level: 1



Tear Resistance - Level: 1

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL150 



AVAILABLE IN
 
 1 PAIR PER POLYBAG
 12 PAIRS PER PACK
 240 PAIRS PER CARTON

NITRILE GLOVES

SIZE 7 - 11

- 13G black / white polyester liner
- Black / grey nitrile palm dip coating

 CAT. II

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL280  CODE: DWGL035 



AVAILABLE IN

 1 PAIR PER POLYBAG
 12 PAIRS PER PACK
 120 PAIRS PER CARTON

BLACK NITRILE GLOVES

SIZE 7 - 11

- 13G black polyester liner
- Black nitrile full dip coating

 CAT. II

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL165 



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
240 PAIRS PER CARTON

GREY POROUS FOAM NITRILE GLOVES

SIZE 6 - 11

- 13G white polyester liner
- Grey porous foam nitrile palm dip coating



CAT. II

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 3

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL175 ●



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK FOAM NITRILE GLOVES

SIZE 5 - 12

- 15G grey nylon / spandex liner
- Black sandy foam nitrile palm dip coating



CAT. II

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 3

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL085 ●

ORDER TODAY

sales@directa.co.uk
01621 828 882



WARRIOR™



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK FOAM NITRILE THERMAL GLOVES

SIZE 7 - 11

- 13G black acrylic liner
- Black foam nitrile full dip coating
- Velcro fastening cuff strap



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 3

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

EN511: 2006

Convective Cold - Level: X

Contact Cold - Level: 1

Water Penetration - Level: X

CODE: DWGL170 ●



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK PU CUT A GLOVES

SIZE 7 - 11

- 13G red HPPE liner
- Black PU palm dip coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: A

CODE: DWGL330 ●

GREY PU CUT C GLOVES

featured on page 21



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

GREY PU CUT B GLOVES

SIZE 7 - 11

- 13G salt and pepper HPPE / glass liner
- Grey PU palm dip coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: B

CODE: DWGL305 ●

GREY NITRILE GLOVES

featured on page 16

PRACTICAL PROTECTION FOR HANDS.



THE USER MUST SELECT THE APPROPRIATE HAND & ARM PROTECTION FOR THE TASK IN HAND.




AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

GREY PU CUT C GLOVES

SIZE 7 - 11

- 13G grey HPPE / glass liner
- Grey PU palm dip coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: C

CODE: DWGL090 ●



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK NITRILE CUT C GLOVES

SIZE 7 - 11

- 13G amber HPPE / glass liner
- Black sandy nitrile palm dip coating
- Black nitrile crotch reinforcement



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: C

CODE: DWGL045 ●



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK PU CUT D GLOVES

SIZE 7 - 11

- 13G salt and pepper HPPE / glass / steel liner
- Black PU palm dip coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: D

CODE: DWGL310 ●



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
72 PAIRS PER CARTON

DOUBLE DIPPED LATEX CUT D GLOVES

SIZE 6 - 12

- 13G black and grey HPPE / glass liner
- Blue latex full dip coating
- Black sandy latex palm and thumb dip coating



TECHNICAL DETAILS

WARNING: Contains Latex*

EN388: 2016

Abrasion Resistance - Level: 3

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 3

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: D

CODE: DWGL395 ●

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.


HELP PREVENT THE
RISK OF INJURIES TO
YOUR HANDS BY WEARING
OUR QUALITY BLACK
NITRILE CUT E GLOVES.

PROTECT
YOUR
HANDS.



HARD-WEARING

Our quality gloves are durable and stand
the test of time



AVAILABLE IN



1 PAIR PER POLYBAG
6 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK NITRILE CUT E GLOVES

SIZE 7 - 11

- 13G green or black & grey HPPE / glass / steel liner
- Black sandy nitrile palm dip coating
- Black nitrile crotch reinforcement

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method
(EN ISO 13997) - Level: E


CODE: DWGL050



CODE: DWGL075



 CAT. II



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
120 PAIRS PER CARTON

AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
36 PAIRS PER CARTONGREY TPR
BACK OF HAND

BLACK NITRILE CUT F GLOVES

SIZE 7 - 11

- 13G black HPPE / glass / steel liner
- Black sandy nitrile palm dip coating
- Black nitrile crotch reinforcement



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 3

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: F

CODE: DWGL080 ●

GREY TPR CUT D & GREY NITRILE GLOVES

SIZE 8 - 12

- 13G grey HPPE / glass liner
- Grey sandy nitrile palm dip coating
- Grey nitrile crotch reinforcement
- Velcro fastening cuff strap



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: D

Impact Resistance - P

CODE: DWGL025 ●



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
36 PAIRS PER CARTONBLACK TPR
BACK OF HAND

BLACK TPR CUT F & BLACK NITRILE GLOVES

SIZE 8 - 12

- 13G black HPPE / glass / steel liner
- Black sandy nitrile palm dip coating
- Black nitrile crotch reinforcement
- Velcro fastening cuff strap



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 3

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: F

Impact Resistance - P

CODE: DWGL030 ●



NITRILE THERMAL GLOVES

DWGL070 featured on page 24



GREY TPR CUT E & BLACK NITRILE THERMAL GLOVES

SIZE 8 - 12

- 13G black HPPE liner
- 7G black acrylic / glass liner
- Black sandy nitrile palm dip coating
- Extended black nitrile crotch reinforcement



TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: E
Impact Resistance - P
EN511: 2006
Convective Cold - Level: X
Contact Cold - Level: 2
Water Penetration - Level: X
CODE: DWGL070 ●

GREEN NITRILE CHEMICAL GAUNTLETS

SIZE 7 - 11

- Flock lined
- Green nitrile coating



TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 0
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
EN ISO 374-1: 2016 - Type A
Methanol (A) - Level: 2
n-Heptane (J) - Level: 6
40% Sodium Hydroxide (K) - Level: 6
96% Sulphuric Acid (L) - Level: 3
65% Nitric Acid (M) - Level: 3
99% Acetic Acid (N) - Level: 3
25% Ammonium Hydroxide (O) - Level: 5
EN ISO 374-5: 2016
Protection against Bacteria & Fungi - Pass
Protection against Viruses - Pass
CODE: DWGL250 ●

DWGL250 featured above






AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
72 PAIRS PER CARTON

BLACK MECHANICS DRIVERS GLOVES

SIZE 7 - 10

- Polyester / spandex
- Synthetic leather



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL290 ●



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
72 PAIRS PER CARTON

BLACK / GREY MECHANICS REINFORCED PALM GLOVES

SIZE 7 - 10

- Polyester / spandex
- Synthetic leather



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL295 ●



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
72 PAIRS PER CARTON

BLACK / GREY MECHANICS THERMAL GLOVES

SIZE 7 - 10

- Polyester / spandex
- Synthetic leather
- Polyester lining



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 3

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

EN 511: 2006

Convective Cold - Level: X

Contact Cold - Level: 4

Water Penetration - Level: X

CODE: DWGL300 ●



WARRIOR™

HELP PREVENT THE
RISK OF INJURIES BY
WEARING OUR
QUALITY WARRIOR
ARM PROTECTION.

PROTECT
YOUR
ARMS.



COMFORTABLE

Soft, durable sleeves for ease of movement



AVAILABLE IN



1 SLEEVE PER POLYBAG
10 SLEEVES PER PACK
100 SLEEVES PER CARTON

YELLOW CUT D SLEEVE

SIZE 10", 14", 18", 22"

- 13G yellow HPPE / glass liner

DWSL005 10" pictured above

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: X

Straight Blade Cut Resistance Method
(EN ISO 13997) - Level: D

EN407: 2004

Burning Behaviour - Level: X

Contact Heat - Level: 1

Convective Heat - Level: X

Radiant Heat - Level: X

Small Splashes of Molten Metal - Level: X

Large Quantities of Molten Metal - Level: X

CODE: DWSL005 (10") ● CODE: DWSL010 (14") ●

CODE: DWSL015 (18") ● CODE: DWSL020 (22") ●



CAT. II



AVAILABLE IN

 1 SLEEVE PER POLYBAG
 10 SLEEVES PER PACK
 100 SLEEVES PER CARTON

GREY CUT D SLEEVE

SIZE 10", 14", 18", 22"

- 13G grey HPPE / glass liner

DWSL025 10" pictured above



TECHNICAL DETAILS	
EN388: 2016	
Abrasion Resistance - Level: 4	
Circular Blade Cut Resistance - Level: X	
Tear Resistance - Level: 4	
Puncture Resistance - Level: X	
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: D	
EN407: 2004	
Burning Behaviour - Level: X	
Contact Heat - Level: 1	
Convective Heat - Level: X	
Radiant Heat - Level: X	
Small Splashes of Molten Metal - Level: X	
Large Quantities of Molten Metal - Level: X	
CODE: DWSL025 (10") ●	CODE: DWSL030 (14") ●
CODE: DWSL035 (18") ●	CODE: DWSL040 (22") ●



AVAILABLE IN

 1 SLEEVE PER POLYBAG
 10 SLEEVES PER PACK
 100 SLEEVES PER CARTON

YELLOW CUT B SLEEVE

SIZE 10", 14", 18", 22"

- Yellow double layer aramid

DWSL045 10" pictured above



TECHNICAL DETAILS	
EN388: 2016	
Abrasion Resistance - Level: 2	
Circular Blade Cut Resistance - Level: X	
Tear Resistance - Level: 4	
Puncture Resistance - Level: X	
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: B	
EN407: 2004	
Burning Behaviour - Level: X	
Contact Heat - Level: 1	
Convective Heat - Level: X	
Radiant Heat - Level: X	
Small Splashes of Molten Metal - Level: X	
Large Quantities of Molten Metal - Level: X	
CODE: DWSL045 (10") ●	CODE: DWSL050 (14") ●
CODE: DWSL055 (18") ●	CODE: DWSL060 (22") ●



**PROTECT
 YOUR ARMS
 WITH WARRIOR.**

Directa UK Ltd
Cold Norton, Essex,
CM3 6UA

sales@directa.co.uk
01621 828 882
www.directa.co.uk

WARRIOR™



WARRIOR AND WARRIOR PROTECTS ARE TRADE MARKS
OF MAIN MAN SUPPLIES LTD